



GERMICOPA
POTATO VARIETIES

FURIA

G88TT270004 x Florijn



STARCH VARIETY

- *Early industrial starch variety.*
- *Very fast canopy development.*
- *Stem and tuber numbers are high.*
- *Dual resistance to Globodera Rostochiensis (Ro1) and Globodera Pallida (Pa2-3) nematodes.*
- *Good level of resistance to foliage blight and resistant to potato wart disease (path 1).*
-

PLANT & TUBER

| | |
|------------------|---------------------|
| FOLIAGE MATURITY | MEDIUM LATE |
| EMERGENCE | FAST |
| PLANT VIGOUR | FAIRLY HIGH |
| SKIN COLOUR | YELLOW |
| FLESH COLOUR | YELLOW |
| TUBER SHAPE | ROUND TO SHORT OVAL |
| SHAPE UNIFORMITY | MEDIUM |
| EYE DEPTH | FAIRLY DEEP |
| TUBER SIZE | FAIRLY LARGE |
| TUBER SET | HIGH |

PESTS & DISEASES

| | |
|---|-------------|
| RESISTANCE TO FOLIAGE LATE BLIGHT | FAIRLY HIGH |
| RESISTANCE TO TUBER LATE BLIGHT | MODERATE |
| RESISTANCE TO PVY | MODERATE |
| RESISTANCE TO PVY ^{ntn} | VERY HIGH |
| RESISTANCE TO PCN G.rostochiensis (Ro1-4) | FULL |
| RESISTANCE TO PCN G.pallida (Pa2-3) | HIGH |
| RESISTANCE TO WART pathovar 1 | FULL |

QUALITY & USE

| | |
|-----------------------|--------------------|
| YIELD | HIGH |
| DRY MATTER CONTENT | VERY HIGH (24-26%) |
| FRY COLOUR at harvest | GOOD |
| STORAGE ABILITY | MODERATE |

PHYSIOLOGY

| | |
|----------------------------------|-------------|
| DORMANCY | FAIRLY LONG |
| RESISTANCE TO EXTERNAL DAMAGE | FAIRLY LOW |
| RESISTANCE TO INTERNAL DAMAGE | FAIRLY HIGH |
| RESISTANCE TO INTERNAL RUST SPOT | MODERATE |
| RESISTANCE TO DESPROUTING | MODERATE |

The information provided in this document is only indicative and may vary according to growing and climatic conditions but also agronomic techniques.

11/03/2016